



Symbol	Qty	Label	Arrangement	Manufacturer	Description	Lum. Lumens	LLF	Lum. Watts
⊙	4	A	SINGLE	Lithonia Lighting	MRP LED 42C 1000 50K SR3 MVOLT MH: 15' POST MOUNT A.F.G.	9944	0.855	153
⊕	24	B	SINGLE	SLG-Spring Lighting	ALM 195 T5 G2 5K	21150	0.855	150.264
⊖	15	C	BACK-BACK	SLG-Spring Lighting	ALM 195 T4 G2 5K	18800	0.855	150.69
⊕	10	D	SINGLE	SLG-Spring Lighting	ALM 195 T4 G2 5K	18800	0.855	150.69
⊕	1	D-ADD(N)	SINGLE	SLG-Spring Lighting	ALM 195 T4 G2 5K	18800	0.855	150.69
⊕	15	F	SINGLE	SLG-Spring Lighting	ALM 195 T3 G2 5K	19700	0.855	150.147
⊖	12	F-BLC	SINGLE	SLG-Spring Lighting	ALM 195 T3 G2 5K (BLC)	21133	0.508	151.9
⊙	8	H	SINGLE	Lithonia Lighting	DSXB LED 16C 350 50K 5YM (42" BOLLARD)	1685	0.855	20
⊕	3	J-BLC(N)	SINGLE	SLG-Spring Lighting	ALM 195 T3 G2 5K (BLC)	21133	0.508	151.9
⊕	4	K(N)	SINGLE	SLG-Spring Lighting	ALM 195 T5 G2 5K	21150	0.855	150.264
⊕	3	L-BLC(N)	SINGLE	SLG-Spring Lighting	ALS 90 T3 G1 5K (BLC)	21133	0.364	73.44
⊕	1	M(N)	SINGLE	SLG-Spring Lighting	DIW70A125-1750	9777	0.855	69.12
⊕	2	N(N)	SINGLE	SLG-Spring Lighting	WVF 40 G1 5K PC UVH B3	3598	1.000	27.27
⊕	1	Q(N)	BACK-BACK	SLG-Spring Lighting	ALM 195 T4 G2 5K	18800	0.855	150.69

Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
OFFSITE CALC ZONE	Illuminance	Fc	0.23	1.4	0.0	N.A.	N.A.
OVERALL CALC ZONE	Illuminance	Fc	2.39	13.4	0.0	N.A.	N.A.
PROPERTY LINE CALC ZONE	Illuminance	Fc	0.71	4.0	0.0	N.A.	N.A.
PARKING 1	Illuminance	Fc	2.25	6.7	0.4	5.63	16.75
PARKING 2	Illuminance	Fc	1.73	6.6	0.5	3.46	13.20
PARKING 3	Illuminance	Fc	2.67	6.6	0.9	2.97	7.33
WALKWAY PATH	Illuminance	Fc	4.26	10.5	0.5	8.52	21.00

- NOTES:  
 1. EIGHT (8) NEW 25 FT. POLES  
 2. THREE (3) NEW 10 FT. POLES  
 3. OTHER FIXTURES WILL BE ADDED TO EXISTING POLES AND MAKE DOUBLE-HEAD LIGHTS